

L Number	Hits	Search Text	DB	Time stamp
1	1704708	pars\$4 or decompos\$4 or divid\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:28
2	362	(pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:27
3	33	((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:04
4	11	((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:16
5	0	(((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:06
6	0	(((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:06
7	1	((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:13
8	6	(((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:17
9	27301	partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:19
10	1	(partition\$4 same horizontal\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:13
11	536	(bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:16
12	174	((bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and column near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:20
13	36	((((bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and column near3 index\$4) and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:17

14	23	(((bitmap\$4 or (bit adj (map\$4 or wise)))) near3 index\$4) and column near3 index\$4) and partition\$4) and compress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:27
15	4957	partition\$4 near horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:22
16	5	(partition\$4 near horizontal\$4) and column near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:22
17	9571	partition\$4 near vertical\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:22
18	19	(partition\$4 near vertical\$4) and column near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:22
19	9	((partition\$4 near vertical\$4) and column near3 index\$4) and compress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:27
20	5	(((partition\$4 near vertical\$4) and column near3 index\$4) and compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:27
21	5	(((partition\$4 near vertical\$4) and column near3 index\$4) and compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise)))) and (pars\$4 or decompos\$4 or divid\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:28
22	5	(((partition\$4 near vertical\$4) and column near3 index\$4) and compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise)))) and (pars\$4 or decompos\$4 or divid\$4)) and (column or field or attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:28

L Number	Hits	Search Text	DB	Time stamp
1	110	pars\$5 near9 columns!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:14
2	22	(pars\$5 near9 columns!) and (data near (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:59
3	10843	pars\$5 near3 (data or document or table or database or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:19
4	2390	(pars\$5 near3 (data or document or table or database or file)) and (707/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:20
5	690	((pars\$5 near3 (data or document or table or database or file)) and (707/\$.ccls. or 715/\$.ccls.)) and columns!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:19
6	124	((((pars\$5 near3 (data or document or table or database or file)) and (707/\$.ccls. or 715/\$.ccls.)) and columns!) and (data near (stream or strip)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:19
7	31	(((((pars\$5 near3 (data or document or table or database or file)) and (707/\$.ccls. or 715/\$.ccls.)) and columns!) and (data near (stream or strip)))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:19
8	11587	pars\$5 near3 (data or document or table or database or file or string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:30
9	3025	(pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:19
10	658	((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:31
11	197	((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip)))) and partition\$5) and columns!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:23
12	32	(((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip)))) and partition\$5) and columns!) and (707/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:24
13	32	(((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip)))) and partition\$5) and columns!) and (707/\$.ccls. or 715/\$.ccls.)) and pars\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:22

with col partition
 ✓ it was
 in the
 near
 column

14	197	((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:23
15	3	((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! same pars\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:24
16	197	((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:24
17	32	(((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6) and (707/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:51
18	16	(((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6) and (707/\$.ccls. or 715/\$.ccls.) and (cell or excel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:29
19	121	(cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:33
20	13	((cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:58
21	138	(cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:33
22	14	((cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:33
23	28	((cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))) and (707/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:52
24	2	((((cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5) and partition\$5 same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:59
25	18577	partition\$5 same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:59
26	9859	(partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:59

27	25	((partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)) and (data near (stream or strip)) with column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:01
28	15	((partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)) and (data near (stream or strip)) with column) and compress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:03
29	0	(pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress44 and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:04
30	629	(pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress\$6 and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:08
31	14	((pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress\$6 and header) and (index\$5 near3 column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:07
32	4440	index\$5 near3 column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:07
33	159	(index\$5 near3 column) and b adj tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:08
34	4	((index\$5 near3 column) and b adj tree) and (pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:08

L Number	Hits	Search Text	DB	Time stamp
1	228	column adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
2	64	(column adj file) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
4	8677	"31" and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
5	11	(column adj files! or column-files!) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:53
3	46	column adj files! or column-files!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:42
7	2	(deflat\$4 near4 algorithm) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:55
6	48	deflat\$4 near4 algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:52
8	12	(deflat\$4 near4 algorithm) and (data near (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:56
9	2	((deflat\$4 near4 algorithm) and (data near (stream or strip))) and run near2 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:54
10	4	((deflat\$4 near4 algorithm) and (data near (stream or strip))) and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:51
11	7	((deflat\$4 near4 algorithm) and (data near (stream or strip))) and (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:53
12	111	deflat\$4 with column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:53
13	1	(deflat\$4 with column) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:59

14	163	deflat\$4 same (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:57
15	2	((deflat\$4 same (columns! or fields! or attributes!)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:54
16	4	((deflat\$4 same (columns! or fields! or attributes!)) and run near2 length	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:54
18	2	((deflat\$4 same (columns! or fields! or attributes!)) and compress\$6) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:59
19	3	((deflat\$4 same (columns! or fields! or attributes!)) and compress\$6) and pars\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:55
17	66	((deflat\$4 same (columns! or fields! or attributes!)) and compress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:56
20	13	((deflat\$4 same (columns! or fields! or attributes!)) and compress\$6) and (database or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:59
21	0	((deflat\$4 same (columns! or fields! or attributes!)) and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:11
22	2481	deflat\$4 and (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:58
23	9	((deflat\$4 and (columns! or fields! or attributes!)) and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:57
24	8062	compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:09
25	485	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip)))) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:09
26	113	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip)))) and (database and relational) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:59

27	32	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
28	27	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and pars\$4 and partition\$4) and row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:01
29	3	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and (pars\$4 and partition\$4) with (column or field or group\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:07
30	1	((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and (pars\$4 and partition\$4) with (column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:07
31	15	(pars\$4 and partition\$4) with (column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:09
32	5800	(pars\$4 and partition\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:12
33	870	((pars\$4 and partition\$4)) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:16
34	57	((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:29
35	27	((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:22
36	37	((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))) and pars\$4 with (table or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
37	4832	pars\$4 with (table or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:21
38	1293	(pars\$4 with (table or database)) and columns!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
39	343	((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:23

40	164	((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:31
41	37	((((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:17
42	54	((((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)) and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:17
43	137	pars\$4 with (table or database) with column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:25
44	78	(pars\$4 with (table or database) with column) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:27
45	10	((pars\$4 with (table or database) with column) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:27
46	359	pars\$4 with (table or database) with (columns! or fields!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:26
47	359	pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
48	135	(pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
49	21	((pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:31
50	966	(decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
51	265	((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
52	2	((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.) and compress\$6 and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:30

53	2	((((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and compress\$6 and (columns!) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:30
54	38	((((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:31
55	38	(((((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns! or fields!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:31
56	26	(((((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:31
57	22	(((((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns!)) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:32

L Number	Hits	Search Text	DB	Time stamp
1	0	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ("into" adj (columns! or fields! or attributes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:26
2	0	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ("into" adj (columns! or fields! or attributes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:51
3	394	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:26
4	104	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:39
5	21	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!)) and (ROI! or OLAP!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:38
6	0	((pars\$5 or devid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!)) and (ROI!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:37
7	4558	ROI!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:32
8	35	ROI! and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:34
9	1287	row-column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:34
10	43	row-column and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:48
11	0	row-column and (pars\$5 or devid\$4) near6 ("into" adj columns!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:35
12	40	row-column and (pars\$5 or devid\$4) near6 (columns!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:39
13	5	(row-column and (pars\$5 or devid\$4) near6 (columns!)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:36

14	0	((row-column and (pars\$5 or divid\$4) near6 (columns!)) and 707/\$.ccls.) and (ROI!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:37
15	2	((row-column and (pars\$5 or divid\$4) near6 (columns!)) and 707/\$.ccls.) and (ROI! or OLAP!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:38
16	101	row-column and (column near (format or form))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:38
17	24	(row-column and (column near (format or form))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:39
18	5	((row-column and (column near (format or form))) and 707/\$.ccls.) and (pars\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:47
19	227	(pars\$5) near7 column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:43
20	36	((pars\$5) near7 column) and (data near (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:45
21	8	((pars\$5) near7 column) and (data near (stream or strip)) same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:48
22	62053	pars\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:47
23	3860	pars\$5 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:51
24	30	(pars\$5 and 707/\$.ccls.) and (data near (stream or strip)) same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:51
25	15162	((pars\$5 or divid\$4) near4 (table or database or relation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:51
26	1487	((((pars\$5 or divid\$4) near4 (table or database or relation))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:54

27	19	(((((pars\$5 or divid\$4) near4 (table or database or relation))) and 707/\$.ccls.) and (data near (stream or strip)) with (columns! or fields! or attributes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:54
28	1881	pars\$5 near9 (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:54
29	86	(pars\$5 near9 (columns! or fields! or attributes!)) and (data near (stream or strip)) with (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:57
30	18	((pars\$5 near9 (columns! or fields! or attributes!)) and (data near (stream or strip)) with (columns! or fields! or attributes!)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:57
31	4649	partition\$4 near6 column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:57
32	161	(partition\$4 near6 column) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:57
33	3	((partition\$4 near6 column) and 707/\$.ccls.) and (data near (stream or strip)) with (columns! or fields! or attributes!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:59
34	2	addamark.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 08:59